


BENNA PULIZIA FOSSI MODELLO A ZAPPA per escavatori
DITCH CLEANING BUCKET SQUARED PROFILE for excavators
GODET CURAGE PROFIL A FOND PLAT pour pelles
CAZO DE LIMPIEZA MODELO "A ZAPPA" para excavadoras
GRABENRAUMLÖFFEL SCHABEPROFIL für Bagger




Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.48 - T.50 7,1 - 12,5 ton	T48PFZ140	1400	290	241	530	381	/	/
	T48PFZ150	1500	313	255			/	/
	T48PFZ160	1600	336	268			/	/
	T48PFZ180	1800	380	295			/	/
	T48PFZ200	2000	426	322			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	S355	S355	HB 400	HB 400
Spessore	Thickness	8 mm	114.3 x 12.5 mm	6 mm	12 mm	15 mm	200 x 20 mm	150 x 20 mm

Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.55 - T.60 12,5 - 19 ton	T55PFZ150	1500	363	330	569	427	/	/
	T55PFZ180	1800	442	377			/	/
	T55PFZ200	2000	495	409			/	/
	T55PFZ220	2200	548	440			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	S355	S355	HB 400	HB 400
Spessore	Thickness	8 mm	127 x 14.2 mm	6 mm	20 mm	15 mm	200 x 25 mm	200 x 20 mm

Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.65 19 - 23 ton	T65PFZ180	1800	546	448	648	460	/	/
	T65PFZ200	2000	612	482			/	/
	T65PFZ220	2200	677	517			/	/
	T65PFZ240	2400	743	550			/	/
	T65PFZ250	2500	775	567			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	S355	S355	HB 400	HB 400
Spessore	Thickness	8 mm	127 x 14.2 mm	8 mm	20 mm	20 mm	250 x 25 mm	200 x 20 mm



BENNA PULIZIA FOSSI MODELLO A ZAPPA per escavatori
DITCH CLEANING BUCKET SQUARED PROFILE for excavators
GODET CURAGE PROFIL A FOND PLAT pour pelles
CAZO DE LIMPIEZA MODELO "A ZAPPA" para excavadoras
GRABENRAUMLÖFFEL SCHABEPROFIL für Bagger




Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.66 23 - 26 ton	T66PFZ180	1800	717	513	747	511	/	/
	T66PFZ200	2000	805	552			/	/
	T66PFZ220	2200	892	592			/	/
	T66PFZ240	2400	980	631			/	/
	T66PFZ250	2500	1023	651			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	S355	S355	HB 400	HB 400
Spessore	Thickness	8 mm	152.4 x 16 mm	8 mm	25 mm	20 mm	250 x 25 mm	200 x 20 mm

Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.68 T.69 - T.70 26 - 43 ton	T68PFZ180	1800	937	731	861	593	/	/
	T68PFZ200	2000	1052	787			/	/
	T68PFZ220	2200	1168	843			/	/
	T68PFZ240	2400	1283	899			/	/
	T68PFZ250	2500	1340	926			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	S355	S355	HB 400	HB 400
Spessore	Thickness	10 mm	177.8 x 20 mm	10 mm	30 mm	25 mm	300 x 30 mm	250 x 25 mm



BENNA PULIZIA FOSSI MODELLO OLANDA per escavatori
DITCH CLEANING BUCKET HOLLAND PROFILE for excavators
GODET CURAGE GRANDE CAPACITE' pour pelles
CAZO DE LIMPIEZA MODELO "OLANDA" para excavadoras
GRABENRAUMLÖFFEL HOLLAND PROFIL für Bagger




Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.45 5,3 - 7,0 ton	T45PFO140	1400	288	217	588	323	/	/
	T45PFO150	1500	310	226			/	/
	T45PFO160	1600	334	241			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	Hardox 400	S355	HB 400	HB 400
Spessore	Thickness	6 mm	114.3 x 12.5 mm	5 mm	15 mm	6 mm	200 x 20 mm	200 x 20 mm

Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.48 - T.50 7,1 - 12,5 ton	T48PFO140	1400	348	240	649	358	/	/
	T48PFO150	1500	375	250			/	/
	T48PFO160	1600	403	265			/	/
	T48PFO180	1800	458	285			/	/
	T48PFO200	2000	513	320			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	Hardox 400	S355	HB 400	HB 400
Spessore	Thickness	6 mm	114.3 x 12.5 mm	8 mm	15 mm	6 mm	200 x 20 mm	200 x 20 mm

Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.55 12,5 - 16 ton	T55PFO150	1500	585	412	830	445	/	/
	T55PFO160	1600	629	437			/	/
	T55PFO180	1800	717	477			/	/
	T55PFO200	2000	805	517			/	/
	T55PFO220	2200	893	557			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	Hardox 400	S355	HB 400	HB 400
Spessore	Thickness	8 mm	127 x 14.2 mm	8 mm	20 mm	8 mm	250 x 25 mm	250 x 25 mm



BENNA PULIZIA FOSSI MODELLO OLANDA per escavatori
DITCH CLEANING BUCKET HOLLAND PROFILE for excavators
GODET CURAGE GRANDE CAPACITE' pour pelles
CAZO DE LIMPIEZA MODELO "OLANDA" para excavadoras
GRABENRAUMLÖFFEL HOLLAND PROFIL für Bagger



Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.60 16 - 19 ton	T60PFO150	1500	677	446	900	473	/	/
	T60PFO160	1600	730	471			/	/
	T60PFO180	1800	832	511			/	/
	T60PFO200	2000	935	556			/	/
	T60PFO220	2200	1038	601			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	Hardox 400	S355	HB 400	HB 400
Spessore	Thickness	8 mm	127 x 14.2 mm	8 mm	20 mm	8 mm	250 x 25 mm	250 x 25 mm

Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.65 19 - 23 ton	T65PFO160	1600	820	572	956	515	/	/
	T65PFO180	1800	937	622			/	/
	T65PFO200	2000	1054	672			/	/
	T65PFO220	2200	1171	722			/	/
	T65PFO240	2400	1288	772			/	/
	T65PFO250	2500	1346	802			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	Hardox 400	S355	HB 400	HB 400
Spessore	Thickness	8 mm	152.4 x 16 mm	8 mm	25 mm	8 mm	270 x 32 mm	250 x 25 mm




Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.66 23 - 26 ton	T66PFO160	1600	930	590	1030	540	/	/
	T66PFO180	1800	1066	650			/	/
	T66PFO200	2000	1200	700			/	/
	T66PFO220	2200	1334	750			/	/
	T66PFO240	2400	1470	800			/	/
	T66PFO250	2500	1535	830			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	Hardox 400	S355	HB 400	HB 400
Spessore	Thickness	8 mm	152.4 x 16 mm	8 mm	25 mm	8 mm	270 x 32 mm	250 x 25 mm

Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.68 26 - 31 ton	T68PFO160	1600	1177	819	1155	625	/	/
	T68PFO180	1800	1350	894			/	/
	T68PFO200	2000	1522	969			/	/
	T68PFO220	2200	1694	1044			/	/
	T68PFO240	2400	1867	1119			/	/
	T68PFO250	2500	1953	1156			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	Hardox 400	S355	HB 400	HB 400
Spessore	Thickness	10 mm	177.8 x 20 mm	10 mm	30 mm	10 mm	300 x 35 mm	250 x 25 mm

Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.69 - T.70 31 - 43 ton	T69PFO160	1600	1330	938	1240	660	/	/
	T69PFO180	1800	1528	1016			/	/
	T69PFO200	2000	1725	1094			/	/
	T69PFO220	2200	1922	1172			/	/
	T69PFO240	2400	2118	1250			/	/
	T69PFO250	2500	2216	1290			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	Hardox 400	S355	HB 400	HB 400
Spessore	Thickness	10 mm	177.8 x 20 mm	10 mm	30 mm	10 mm	300 x 35 mm	250 x 25 mm



BENNA PULIZIA FOSSI MODELLO ROTONDO per escavatori
DITCH CLEANING BUCKET ROUND PROFILE for excavators
GODET CURAGE PROFIL ARRONDI pour pelles
CAZO DE LIMPIEZA MODELO REDONDO para excavadoras
GRABENRAUMLÖFFEL RUNDPROFIL für Bagger




Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Denti n° Teeth	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List
T.18 0,6 - 1,1 ton	T18PFR080	800	48	/	37	300	220	/
	T18PFR085	850	51	/	40			/
	T18PFR100	1000	58	/	45			/
		1	2	3	4	5	6	7
Materiale	Material	S355	S355	S355	S355	S355	EN 250	/
Spessore	Thickness	4 mm	48 x 6 mm	4 mm	8 mm	8 mm	110 x 16 mm	/

Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Denti n° Teeth	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List
T.20 1,2 - 1,8 ton	T20PFR080	800	50	/	46	330	240	/
	T20PFR085	850	53	/	49			/
	T20PFR100	1000	63	/	56			/
	T20PFR120	1200	77	/	67			/
		1	2	3	4	5	6	7
Materiale	Material	S355	S355	S355	S355	S355	EN 250	/
Spessore	Thickness	4 mm	60 x 7 mm	4 mm	10 mm	8 mm	110 x 16 mm	/

Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Denti n° Teeth	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List
T.25 1,9 - 2,8 ton	T25PFR080	800	67	/	52	380	270	/
	T25PFR100	1000	86	/	62			/
	T25PFR120	1200	104	/	74			/
	T25PFR130	1300	113	/	80			/
	T25PFR140	1400	123	/	86			/
	T25PFR150	1500	132	/	92			/
		1	2	3	4	5	6	7
Materiale	Material	S355	S355	S355	S355	S355	EN 250	/
Spessore	Thickness	4 mm	60 x 7 mm	4 mm	10 mm	8 mm	150 x 16 mm	/



BENNA PULIZIA FOSSI MODELLO ROTONDO per escavatori
DITCH CLEANING BUCKET ROUND PROFILE for excavators
GODET CURAGE PROFIL ARRONDI pour pelles
CAZO DE LIMPIEZA MODELO REDONDO para excavadoras
GRABENRAUMLÖFFEL RUNDPROFIL für Bagger




Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Denti n° Teeth	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List
T.30 2,9 - 3,9 ton	T30PFR100	1000	121	/	96	440	310	/
	T30PFR120	1200	148	/	112			/
	T30PFR130	1300	161	/	120			/
	T30PFR140	1400	175	/	129			/
	T30PFR150	1500	188	/	138			/
		1	2	3	4	5	6	7
Materiale	Material	S355	S355	S355	S355	S355	EN 250	/
Spessore	Thickness	5 mm	70 x 8 mm	5 mm	12 mm	10 mm	150 x 16 mm	/

Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Denti n° Teeth	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List
T.35 4,0 - 5,2 ton	T35PFR100	1000	152	/	115	495	350	/
	T35PFR120	1200	186	/	136			/
	T35PFR130	1300	202	/	147			/
	T35PFR140	1400	219	/	156			/
	T35PFR150	1500	236	/	164			/
	T35PFR160	1600	253	/	181			/
		1	2	3	4	5	6	7
Materiale	Material	S355	S355	S355	S355	S355	EN 250	/
Spessore	Thickness	6 mm	82 x 10 mm	6 mm	15 mm	12 mm	150 x 20 mm	/

Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Denti n° Teeth	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List
T.45 5,3 - 7,0 ton	T45PFR120	1200	200	/	168	525	380	/
	T45PFR140	1400	230	/	182			/
	T45PFR150	1500	245	/	192			/
	T45PFR160	1600	260	/	205			/
		1	2	3	4	5	6	7
Materiale	Material	S355	S355	S355	S355	S355	EN 250	/
Spessore	Thickness	6 mm	89 x 10 mm	6 mm	15 mm	12 mm	200 x 20 mm	/



BENNA PULIZIA FOSSI MODELLO ROTONDO per escavatori
DITCH CLEANING BUCKET ROUND PROFILE for excavators
GODET CURAGE PROFIL ARRONDI pour pelles
CAZO DE LIMPIEZA MODELO REDONDO para excavadoras
GRABENRAUMLÖFFEL RUNDPROFIL für Bagger




Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.48 - T.50 7,1 - 12,5 ton	T48PFR140	1400	287	220	550	337	/	/
	T48PFR150	1500	310	231			/	/
	T48PFR160	1600	332	246			/	/
	T48PFR180	1800	377	268			/	/
	T48PFR200	2000	422	297			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	S355	S355	HB 400	HB 400
Spessore	Thickness	8 mm	114.3 x 12.5 mm	6 mm	12 mm	15 mm	200 x 20 mm	150 x 20 mm

Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.55 - T.60 12,5 - 19 ton	T55PFR150	1500	353	310	570	345	/	/
	T55PFR180	1800	431	352			/	/
	T55PFR200	2000	483	380			/	/
	T55PFR220	2200	534	410			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	S355	S355	HB 400	HB 400
Spessore	Thickness	8 mm	127 x 14.2 mm	6 mm	20 mm	15 mm	200 x 25 mm	200 x 20 mm

Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.65 19 - 23 ton	T65PFR180	1800	554	426	650	381	/	/
	T65PFR200	2000	620	458			/	/
	T65PFR220	2200	687	487			/	/
	T65PFR240	2400	750	517			/	/
	T65PFR250	2500	783	534			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	S355	S355	HB 400	HB 400
Spessore	Thickness	8 mm	127 x 14.2 mm	8 mm	25 mm	20 mm	250 x 25 mm	200 x 20 mm



BENNA PULIZIA FOSSI MODELLO ROTONDO per escavatori
DITCH CLEANING BUCKET ROUND PROFILE for excavators
GODET CURAGE PROFIL ARRONDI pour pelles
CAZO DE LIMPIEZA MODELO REDONDO para excavadoras
GRABENRAUMLÖFFEL RUNDPROFIL für Bagger



Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.66 23 - 26 ton	T66PFR180	1800	738	514	750	460	/	/
	T66PFR200	2000	828	551			/	/
	T66PFR220	2200	917	587			/	/
	T66PFR240	2400	1007	623			/	/
	T66PFR250	2500	1052	642			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	S355	S355	HB 400	HB 400
Spessore	Thickness	8 mm	152.4 x 16 mm	8 mm	25 mm	20 mm	250 x 25 mm	200 x 20 mm

Classe Class	Codice Code	L mm.	Cap. SAE Lt.	Peso Kg. Weight	RL mm.	P mm.	Listino € Price List	Sottolama € Bolt on blade
T.68 T.69 - T.70 26 - 43 ton	T68PFR180	1800	956	747	860	529	/	/
	T68PFR200	2000	1074	801			/	/
	T68PFR220	2200	1191	855			/	/
	T68PFR240	2400	1309	909			/	/
	T68PFR250	2500	1366	941			/	/
		1	2	3	4	5	6	7 Optional
Materiale	Material	S355	S355	S355	S355	S355	HB 400	HB 400
Spessore	Thickness	10 mm	177.8 x 20 mm	10 mm	30 mm	25 mm	300 x 30 mm	250 x 25 mm

